



Sefar Printing Solution can stretch your existing frames, or you can purchase new rigid aluminum frames. Frames supplied to Sefar Printing Solutions do not need to be cleaned; stretching service includes removal of adhesive and frame preparation procedures. Just return them to Sefar on a pallet, and we'll take care of the rest!

If you need to purchase new frames, the rigid aluminum frames from Sefar can be customized to your printing requirements: image size, press size, mesh specifications and target tension levels are all taken into consideration. See below for the frame profiles available for custom order.

Frames: Rigid Aluminum

Sefar Models

Sefar Models	Frame Profile in Inches (h x w x th)
Model 79	.75 x .75 x .063
Model 118	1.18 x .79 x .079
Model 100	1.0 x 1.0 x .063
Model 118/157*	1.57 x 1.18 x .063 horizontal .118 vertical
Model 125	1.25 x 1.25 x .063
Model 157	1.56 x 1.56 x .067 horizontal .110 vertical
Model 236	1.57 x 2.36 x .098 horizontal .119 vertical
Model 400 HD	2.0 x 4.0 x .125

*The Model 118/157 inside profile is at an angle—see diagram to right.



Standard Models

Frame Profile in Inches (h x w x th)
.75 x .75 x .125
1 x .75 x .070
1 x 1 x .070
1 x 1 x .095
1 x 1 x .125
1 x 1.5 x .125
1.25 x 1.25 x .125
1.5 x 1.5 x .070
1.5 x 1.5 x .095
1.5 x 1.5 x .125
1.5 x 2 x .125
1.5 x 2.5 x .125
1.5 x 3 x .125
1.5 x 4 x .125
1.75 x 3 x .125
1.75 x 4 x .125
1.75 x 5 x .125

Please note that it is important to review the following production parameters when ordering frames:

- ◆ Maximum frame size of the printing press
- ◆ Maximum image size (the image should not be greater than 70% of the ID of the frame)
- ◆ Mesh specification and target tension levels

Contact your local Sefar Representative to help determine the correct aluminum frame size.

Use the diagram below for ordering frames. All frame sizes are listed in the following format:

frame height x frame width x wall thickness

